Artificial Intelligence Introduction



AI in the movies



"Intelligence: The ability to learn and solve problems" Webster's Dictionary.

"Intelligence: The ability to learn and solve problems" Webster's Dictionary.

"Artificial intelligence (AI) is the intelligence exhibited by machines or software'

Wikipedia.

"Intelligence: The ability to learn and solve problems" Webster's Dictionary.

"Artificial intelligence (AI) is the intelligence exhibited by machines or software'

Wikipedia.

"The science and engineering of making intelligent machines"

McCarthy.

"Intelligence: The ability to learn and solve problems" Webster's Dictionary.

"Artificial intelligence (AI) is the intelligence exhibited by machines or software'

Wikipedia.

"The science and engineering of making intelligent machines"

McCarthy.

"The study and design of intelligent agents, where an intelligent agent is a system that perceives its environment and takes actions that maximize its chances of success." Russel and Norvig AI book. "Just as the Industrial Revolution freed up a lot of humanity from physical drudgery, I think AI has the potential to free up humanity from a lot of the mental drudgery."

Andrew Ng.

Four schools of thoughts (Russel & Norvig)

Thinking humanly	Thinking rationally					
"The exciting new effort to make computers think <i>machines with</i> <i>minds</i> , in the full and literal sense." (Haugeland, 1985)	"The study of mental faculties through the use of computational models." (Charniak and McDermott, 1985					
Acting humanly	Acting rationally					
"The study of how to make com- puters do things which, at the mo- ment, people are better." (Rich and Knight, 1991)	"Computational Intelligence is the study of the design of intelligent agents." (Poole et al., 1998)					

Thinking humanly: cognitive approach



Requires to determine how humans think!

1960's "cognitive revolution".

Requires scientific theories of internal activities of the brain

- What level of abstraction? "Knowledge" or "circuits"?
- How to validate?

Today, Cognitive Science and Artificial Intelligence are distinct disciplines.

Acting humanly:

• Turing test (Alan Turing 1950): A computer passes the test of intelligence, if it can fool a human interrogator.



Credit: From Russel and Norvig slides.

• Major components of AI: knowledge, reasoning, language, understanding, learning.

Acting humanly:





Thinking rationally: Laws of thoughts.

- Codify "right thinking" with logic.
- Several Greek schools developed various forms of logic: *notation* and *rules of derivation* for thoughts.
- Problems:
 - 1. Not all knowledge can be expressed with logical notations.
 - 2. Computational blow up.

Acting rationally:

- The right thing: that which is expected to maximize goal achievement, given the available information.
- A rational agent is one that acts so as to achieve the best outcome, or when there is uncertainty, the best expected outcome.
- Aristotle (Nicomachean Ethics):
 "Every art and every inquiry, and similarly every action and pursuit, is thought to aim at some good."

Four schools of thoughts (Russel & Norvig)

Thinking humanly	Thinking rationally					
"The exciting new effort to make computers think <i>machines with</i> <i>minds</i> , in the full and literal sense." (Haugeland, 1985)	"The study of mental faculties through the use of computational models." (Charniak and McDermott, 1985					
Acting humanly	Acting rationally: Our approach					
"The study of how to make com- puters do things which, at the mo- ment, people are better." (Rich and Knight, 1991)	"Computational Intelligence is the study of the design of intelligent agents." (Poole et al., 1998)					



Speech recognition

- Virtual assistants: Siri (Apple), Echo (Amazon), Google Now, Cortana (Microsoft).
- "They" helps get things done: send an email, make an appointment, find a restaurant, tell you the weather and more.
- Leverage deep neural networks to handle **speech recognition** and **natural language understanding**.



Handwriting recognition (check, zipcode)



Machine translation

- Historical motivation: translate Russian to English.
- First systems using **mechanical translation** (one-to-one correspondence) failed!
- "Out of sight, out of mind" \Rightarrow "Invisible, imbecile".

Machine translation

- Historical motivation: translate Russian to English.
- First systems using **mechanical translation** (one-to-one correspondence) failed!
- "Out of sight, out of mind" \Rightarrow "Invisible, imbecile".

Oops!

Machine translation

- MT has gone through ups and downs.
- Today, **Statistical Machine Translation** leverages the vast amounts of **available translated corpuses**.
- While there is room for improvement, machine translation has made significant progress.

Machine translation

Google

Translate

	Detect language Afrikaens Albanian	Considen Croatien Czech	Gujarati Haltian Creole Heusa	Kazakh Khmer Korean	Marathi Mongolian Myanmar (Burmese)	Shona Sinchi Sinhala	Urdu Uzbek Vietnamese
	Amharic	Danish	Hawailan	Kurdish (Kurmanji)	Nepali	Slovak	Weish
1000	Anabic	Dutch	Hebrew	Kyngyz	Norwegian	Silovenian	Xhosa
493 ·	Armenian	English	Hindi	Lao	Pashto	Someli	Yiddish
Type text or a website address or translate a doc	Azerbajani	Esperanto	Himong	Latin	Persian	Spanish	Yoruba
	Basque	Estonian	Hungarian	Labrian	Polah	Sundanese	Zulu
	Belarusian	Filipino	loelandic	Lithuanian	Portuguese	Swahili	
	Bengal	Finnish	lgbo	Luxembourgish	Punjabi	Swediah	
	Bosnian	French	Indonesian	Macedonian	Romanian	Tajik	
	Bulgerian	Frislan	Iriah:	Malagasy	Russian	Tamil	
	Catalan	Galician	Italian	Malay	Samoan	Telugu	
	Cebueno	Georgian	Japanese	Malayalam	Scots Gaelic	Thai	
	Chichewa	German	Javanese	Maitese	Serbian	Turkish	
	Chinese	Greek	Kannada	Maori	Sesotho	Ukrainian	

Google Translate for Business: Translator Tookit Website Translator Global Market Finder

100+ languages

Machine translation

Google	II
Translate	Turn of indust transition
Arabie English French Detect language -	English Arabis French - Second
out of sight, out of mind ×	hors de vue, hors de l'esprit
43 888 - 25/5000	± ₩ 4) < Ø / Suggest an edit

See also out of sight out of mind, out, of, mind, sight, out of, out of mind

Robotics: Awesome robots today! NAO, ASIMO, and more!



Credit: By Momotarou2012, via Wikimedia Commons.

Recommendation systems (collaborative filtering)



Customers Who Bought This Item Also Bought



Nintendo



SNG Party with WilU Microphone

★★★★ (25) Nintendo Wi U \$15.99 -Prime



Wi U Microphone Nintendo. **** Nintendo Wi U

\$8.98



Barble Dreamhouse Party -Wil Party U Nintendo Wil U Nintendo Majesco Sales Inc. ****** (40) 会会会 (5) Nintendo WirU

Ninlando Wi U \$39.99 Johnson \$30.96 <Prime



Just Dance 2014 -Nintendo Wil U UDI Soft ***** (50) Nintendo Wi U

\$35.21 -Frime



Just Dance 4 - Nintendo WILL UBI Soft





ESPN Sports Connection -Nintendo Wil U UDI Soft *** (24)





>

Search engines



icml.co/ -

Email

Gmail -	C More -	1~50 of 2,006 <>	¢.
COMPOSE	Lumosity.com - Challenge Your Brain	- Challenge your brain with Lumosity, the personal trainer designed by neuroscientists.	Why this ad?
Inbox (1,886)	G 🔄 Groupon Getaways	NYC Dominican Republic Nagara Falls Turkey O This ad is based on emails fro	m your
Important	🗆 🎡 🗇 WebMD	Goat Cheese Grits With Fresh Com - Daily Bite Tun account. Ads Settings puts you the ads you see.	in control of
Sent Mail Drafts (1)	1-800-FLOWERS.COM	Free Shipping Today & Tomorrow! - Send a smile,	/
+ Circles	The Body Shop	Buy 3 Get 3 or Buy 2 Get 2 FREE All Beth & Body - Moga Moist Int, Mini Press, B	9:35 am
Less +	🗋 🍲 💷 WebMD	Have you logged your food and fitness today? - Food & Fitness Planner Dear fi	9:26 am
Al-Mel	Century 21 Dept Store	Say Spaaaaal 50% Off Setal Pampering Package + More V-Day Gifts - This Just	7:06 am
Spam (15)	🗋 🚖 🗁 Banana Republic	35% off starts right now! - 35% off ends 1/22. Online only. Can't see the images in	5:04 am

Face detection



Viola-Jones method.

Face detection



Viola-Jones method.

Face detection



Viola-Jones method.

Face recognition



Detection of breast cancer in mammography images



Chess (1997): Kasparov vs. IBM Deep Blue





(Left) Copyright 2007, S.M.S.I., Inc. - Owen Williams, The Kasparov Agency, via Wikimedia Commons (Right) By James the photographer, via Wikimedia Commons

Powerful search algorithms!

Jeopardy! (2011): Humans vs. IBM Watson



By Rosemaryetoufee (Own work), via Wikimedia Commons

Natural Language Understanding and information extraction!

Go (2016): Lee Sedol versus Google AlphaGo



(Left) By LG Electronics, via Wikimedia Commons (Right) By Google DeepMind, via Wikimedia Commons

Deep Learning, reinforcement learning, and search algorithms!

Autonomous driving



By User Spaceape on en.wikipedia, via Wikimedia Commons

- DARPA Grand Challenge
 - 2005: 132 miles
 - 2007: Urban challenge
 - 2009: Google self-driving car

State-of-the-art applications

- Speech recognition
- Autonomous planning and scheduling
- Financial forecasting
- Game playing, video games
- Spam fighting
- Logistics planning
- Robotics (household, surgery, navigation)
- Machine translation
- Information extraction
- VLSI layout
- Automatic assembly
- Sentiment analysis

- Fraud detection
- Recommendation systems
- Web search engines
- Autonomous cars
- Energy optimization
- Question answering systems
- Social network analysis
- Medical diagnosis, imaging
- Route finding
- Traveling salesperson
- Protein design
- Document summarization
- Transportation/scheduling
- Computer animation

State-of-the-art applications

- Speech recognition
- Autonomous planning and scheduling
- Financial forecasting
- Game playing, video games
- Spam fighting
- Logistics planning
- Robotics (household, surgery, navigation)
- Machine translation
- Information extraction
- VLSI layout
- Automatic assembly
- Sentiment analysis

- Fraud detection
- Recommendation systems
- Web search engines
- Autonomous cars
- Energy optimization
- Question answering systems
- Social network analysis
- Medical diagnosis, imaging
- Route finding
- Traveling salesperson
- Protein design
- Document summarization
- Transportation/scheduling
- Computer animation

Many more!



• Philosophy

- Logic, methods of reasoning.
- Mind as physical system that operates as a set of rules.
- Foundations of learning, language, rationality.

• Mathematics

- Logic: Formal representation and proof.
- Computation, algorithms.
- Probability.

• Economics

- Formal theory of rational decisions.
- Combined decision theory and probability theory for decision making under uncertainty.
- Game theory.
- Markov decision processes.

• Neuroscience

- Study of brain functioning.
- How brains and computers are (dis)similar.

• Psychology

- How do we think and act?
- Cognitive psychology perceives the brain as an information processing machine.
- Led to the development of the field *cognitive science*: how could computer models be used to study *language, memory, and thinking* from a psychological perspective.

• Computer engineering

- Cares about how to build powerful machines to make AI possible.
- E.g., Self-driving cars are possible today thanks to advances in computer engineering.

• Control theory and cybernetics

- Design simple optimal agents receiving feedback from the environment.
- Modern control theory design systems that maximize an objective function over time.

• Linguistics

- How are language and thinking related.
- Modern linguistics + AI = Computational linguistics (Natural language processing).

AI founders

- Aristotle
- Alan Turing
- John Mc Carthy
- Warren McCulloh
- Walter Pitts
- Claude Shannon
- Marvin Minsky
- Dean Edmonds
- Herbert Simon
- Allen Newell
- David Waltz
- Tom Mitchell
- Stuart J. Russell
- Peter Norvig
- etc.

AI Resources

- Major journals/conferences: JAIR, TPAMI, JMLR, IJCAI, AAAI, IAAI, CVPR, ECAI, ICML, NIPS, etc.
- Video lectures:

http://videolectures.net/Top/Computer_Science/Artificial_Intelligence/

History of AI

- 1940-1950: Gestation of AI
 - McCulloch & Pitts: Boolean circuit to model of brain
 - Turing's Computing Machinery and Intelligence http://www.turingarchive.org/browse.php/B/9
- **1950-1970**: Early enthusiasm, great expectations
 - Early AI programs, Samuel's checkers program
 - Birth of AI @ Dartmouth meeting 1956.
 - Check out the MIT video "The thinking Machine" on youtube

https://www.youtube.com/watch?v=aygSMgK3BEM

- 1970-1990: Knowledge-based AI
 - Expert systems, AI becomes an industry
 - AI winter

History of AI

- 1990-present: Scientific approaches
 - Neural Networks: le retour
 - The emergence of intelligent agents
 - AI becomes "scientific", use of probability to model uncertainty
 - AI Spring!
 - The availability of very large datasets.
 - * Data will drive future discoveries and alleviate the complexity in AI.

Course logistics

- **Course level**: **Master's** challenging!
- **Prerequisites**: You are required to have some knowledge of programming and an understanding of probability. Python is the programming language in this course.
- Assignments: There will be two kinds of assignments:
 - Quizzes (conceptual): Test your understanding of the lectures. Please read the questions very carefully.
 - Projects (programming): The course offers an excellent opportunity for students to dive into Python while solving AI problems and learning its applications.

Course logistics

• Suggested readings:

 We recommend this book, which is the main reference in the field:

Artificial Intelligence, A Modern Approach. Stuart Russell and Peter Norvig. Third Edition. Pearson Education.

http://aima.cs.berkeley.edu/

 Check out the list of readings, useful links we suggest for this course.

What you will learn

- Introduction to artificial intelligence, history of Artificial Intelligence.
- **Building intelligent agents** (search, games, logic, constraint satisfaction problems).
- Machine Learning algorithms.
- **Applications** of AI (Natural Language Processing, Robotics, and Vision).
- Solving real AI problems through programming Python.

Course roadmap

- 1. Rational intelligent agents
- 2. Search agents (uninformed search, informed search)
- 3. Adversarial search/games
- 4. Machine Learning (ML)
- 5. Constraint satisfaction problems (CSPs)
- 6. Logic (propositional logic, first order logic)
- 7. Markov Decision Processes (MDPs) and Reinforcement Learning (RL)
- 8. Application to Natural language Processing (NLP)
- 9. Application to vision and robotics

Rational intelligent agents

- This course is about designing intelligent agents.
- An agent perceives the environment and act upon that environment to achieve some task.
- An agent is function from percepts to actions.
- We care specifically about rational agents.
- Rationality is relative to how to act to maximize a **perfor**mance measure.
- AI aims to design the best agents (programs) that achieve the best performance given the computational limitations.

Agent = Architecture + Program

Search agents

- Agents that work towards a **goal**.
- Agents consider the impact of actions on future states.
- Agent's job is to identify the action or series of actions that lead to the goal.
- Paths come with different costs and depths.
- Two kinds of search:
 - Uninformed Search (use no domain knowledge): BFS, DFS, UCS, etc.
 - Informed Search (use heuristic to reach the goal faster):
 Greedy search, A*, etc.

Search agents



The 8-queen problem: on a chess board, place 8 queens so that no queen is attacking any other horizontally, vertically or diagonally.

Search agents

Start: Las Vegas Goal: Calgary



Explore + Execute

Adversarial Search: games

Solved games!

Checkers:

- Chinook ended 40-year-reign of human world champion Marion Tinsley in 1994.
- Used an endgame database defining perfect play for all positions involving 8 or fewer pieces on the board, a total of 443,748,401,247 positions.



Adversarial search: games

- Adversarial search problems \equiv game
- Adversarial \equiv There is an **opponent** we can't control!
- Game vs. search: optimal solution is not a sequence of actions but a **strategy** (policy). If opponent does *a*, agent does *b*, else if opponent does *c*, agent does *d*, etc.
- Tedious and fragile if hard-coded (i.e., implemented with rules).
- **Concepts/methods**: Minimax algorithm, $\alpha \beta$ pruning, stochastic games.

Machine learning

"How do we create computer programs that improve with experience?"

Tom Mitchell

Machine learning

Binary classification (categorization)

Input: "Examples" with labels.

 $(x_1, y_1), \ldots, (x_n, y_n) / x_i \in X \subset \mathbb{R}^n, y_i \in Y = \{-1, +1\}$

Output: $h: X \longrightarrow Y$

Example: Approve credit yes/no, spam/ham.



Concepts/methods: Supervised learning, classification, K nearest neighbors, perceptrons, neural networks, linear regression, etc.

Machine learning

Data segmentation or Clustering

Input: "Examples" without labels. $x_1,\ldots,x_n,\ x_i\in X\subset \mathbb{R}^n$

Output: $f: X \longrightarrow \{C_1, \ldots, C_k\}$ (set of clusters).



Concepts/methods: Unsupervised learning, clustering, k-means, association rules, etc.

Constraint satisfaction

- A search problem too!
- We don't care about the path but about the **goal itself**.
- All paths are of same depth.
- Problem is formulated using variables, domains and constraints.
- Solving the CSP: finding the assignment(s) that satisfy all constraints.
- **Concepts/methods**: problem formalization, backtracking search, arc consistency, etc.

Constraint satisfaction



Variables: $X_{l,c}$ for $1 \le l \le 9$ and $1 \le c \le 9$.

Constraints: All 3x3 grid, row, column, must contain digits 1..9 and all of them!

Solution: Find the assignments to the variables that satisfy the constraints.

Constraint satisfaction

8	4	9	5	2	1	7	3	6
2	5	7	8	6	3	9	1	4
1	6	3	7	4	9	2	5	8
3	2	5	1	9	6	4	8	7
4	9	8	3	5	7	6	2	1
7	1	6	4	8	2	3	9	5
9	8	4	2	7	5	1	6	3
6	7	1	9	3	8	5	4	2
5	3	2	6	1	4	8	7	9

Variables: $X_{l,c}$ for $1 \le l \le 9$ and $1 \le c \le 9$.

Constraints: All 3x3 grid, row, column, must contain digits 1..9 and all of them!

Solution: Find the assignments to the variables that satisfy the constraints.

Logical Agents

- Logic can be used by an agent to model the world.
- Sentences in PL and FOL have a fixed **syntax**.
- With symbols and connectives we can form logical sentences: Example: $hot \land sunny \Rightarrow beach \lor pool$
- Syntax and **Semantic** represent two important and distinct aspects in logic.
- Inference: Given a Knowledge Base (KB) (set of sentences in logic), given a query α , output whether KB entails α , noted: $KB \models \alpha$
- **Concepts/methods**: Modus Ponens, sound and complete inference, horn clauses, etc.

Reinforcement learning

- Agent evolves in a stochastic and uncertain environment.
- Agent learns from **reinforcement** or delayed **reward**.
- Learning approaches for **decision making** in situations where outcomes are stochastic.
- Agent continues to plan and learn to affect its environment.
- Reinforcement learning agents are driven by **maximizing their** rewards on the long run.

Applications

- Natural Language Processing (NLP): concerned with the interactions between computers and human languages.
- Vision/perception: concerned with image processing and building computer vision agents. Goals: information extraction for tasks such as manipulation, navigation, and object recognition.
- **Robotics**: concerned with intelligent agents that manipulate the physical world. Different aspects: planning of robot motion, vision and object recognition.

Historical moment today



In memory of Alan Turing (1912-1954)

- Famous British mathematician.
- Code breaker during World War II.
- Proposed an operational test for intelligent behavior: The Imitation Game.
- In "Computing machinery and intelligence" (1950), he laid down AI major components:

(language, reasoning, knowledge, learning, understanding).

http://www.turingarchive.org/browse.php/B/9

Summary

- AI is a hard (computational complexity, language, vision, etc), and a broad field with high impact on humanity and society.
- What can AI do for us is already amazing!
- AI systems do not have to model human/nature but can act like or be inspired by human/nature.
- How human think is beyond the scope of this course.
- Rational (do the right thing) agents are central to our approach of AI.
- Note that rationality is not always possible in complicated environment but we will still aim to build rational agents.

Summary

- AI may be perceived as a scary area! Is AI a threat to our humankind?
- Professor Stephen Hawking, eminent scientist told BBC:

"The development of full artificial intelligence could spell the end of the human race."

- AI is a flourishing and exciting field: everyone can contribute.
- Looking forward for an exciting journey together!

Credit

• Artificial Intelligence, A Modern Approach. Stuart Russell and Peter Norvig. Third Edition. Pearson Education.

http://aima.cs.berkeley.edu/