

## Foundations of Computer Graphics

Online Lecture 6: OpenGL 1

*Overview and Motivation*

Ravi Ramamoorthi

## This Lecture

- Introduction to OpenGL and simple demo code
  - mytest1.cpp ; you compiled mytest3.cpp for HW 0
- I am going to show (and write) actual code
  - Code helps you understand HW 2 better
- Simple demo of mytest1
- This lecture deals with very basic OpenGL setup.  
Next 2 lectures will likely be more interesting


## Introduction to OpenGL

- OpenGL is a graphics API
  - Portable software library (platform-independent)
  - Layer between programmer and graphics hardware
  - Uniform instruction set (hides different capabilities)
- OpenGL can fit in many places
  - Between application and graphics system
  - Between higher level API and graphics system

## Why OpenGL?


- Why do we need OpenGL or an API?
  - Encapsulates many basic functions of 2D/3D graphics
  - Think of it as high-level language (C++) for graphics
  - History: Introduced SGI in 92, maintained by Khronos
  - Precursor for DirectX, WebGL, Java3D etc.

## Programmer's View



Slide inspired by Greg Humphreys

## OpenGL Rendering Pipeline



Traditional Approach: Fixed function pipeline (state machine)  
New Development (2003-): Programmable pipeline

## GPUs and Programmability

- Since 2003, can write vertex/pixel shaders
- Fixed function pipeline special type of shader
- Like writing C programs (see GLSL book)
- Performance >> CPU (even used for non-graphics)
- Operate *in parallel* on all vertices or fragments

## Outline

- Basic idea about OpenGL
- Basic setup and buffers
- Matrix modes
- Window system interaction and callbacks
- Drawing basic OpenGL primitives
- Initializing Shaders

## Foundations of Computer Graphics

Online Lecture 6: OpenGL 1

*Basic Setup and Buffers, Matrix Modes*

Ravi Ramamoorthi

## Buffers and Window Interactions

- Buffers: Color (front, back, left, right), depth (z), accumulation, stencil. When you draw, you write to some buffer (most simply, front and depth)
- No window system interactions (for portability)
  - But can use GLUT (or Motif, GLX, Tcl/Tk)
  - Callbacks to implement mouse, keyboard interaction

## Basic setup code (you will likely copy)

```
int main(int argc, char** argv)
{
    glutInit(&argc, argv);
    // Requests the type of buffers (Single, RGB).
    // Think about what buffers you would need...
    glutInitDisplayMode (GLUT_SINGLE | GLUT_RGB);

    glutInitWindowSize (500, 500);
    glutInitWindowPosition (100, 100);
    glutCreateWindow ("Simple Demo with Shaders");
    glewInit();
    init(); // Always initialize first

    // Now, we define callbacks and functions for various tasks.
    ...
}
```

## Basic setup code (you will likely copy)

```
int main(int argc, char** argv)
{
    ...

    // Now, we define callbacks and functions for various tasks.
    glutDisplayFunc(display);
    glutReshapeFunc(reshape);
    glutKeyboardFunc(keyboard);
    glutMouseFunc(mouse);
    glutMotionFunc(mousedrag);

    glutMainLoop(); // Start the main code
    return 0; /* ANSI C requires main to return int. */
}
```

## Outline

- Basic idea about OpenGL
- Basic setup and buffers
- *Matrix modes*
- Window system interaction and callbacks
- Drawing basic OpenGL primitives
- Initializing Shaders

## Viewing in OpenGL

- Viewing consists of two parts
  - Object positioning: *modelview* transformation matrix
  - View projection: *projection* transformation matrix
- Old OpenGL (still supported), two matrix stacks
  - GL\_MODELVIEW\_MATRIX, GL\_PROJECTION\_MATRIX
  - Can push and pop matrices onto stacks
- New OpenGL: Use C++ STL templates to make stacks as needed
  - e.g. stack<mat4> modelview ; modelview.push(mat4(1.0));
  - GLM libraries replace many deprecated commands. Include mat4

## Viewing in OpenGL

- OpenGL's camera is always at the origin, pointing in the  $-z$  direction
- Transformations move objects relative to the camera
- In old OpenGL, *Matrices are column-major and right-multiply top of stack*. (Last transform in code is first actually applied). In new GLM, it's confusing since matrices are row-order but still right-multiply (read the assignment notes and documentation).

## Basic initialization code for viewing

```
#include <GL/glut.h>
#include <stdlib.h>
int mouseoldx, mouseoldy ; // For mouse motion
GLdouble eyeloc = 2.0 ; // Where to look from; initially 0 -2, 2
void init ( void )
{
    /* select clearing color      */
    glClearColor ( 0.0, 0.0, 0.0, 0.0 );
    /* initialize viewing values   */
    glMatrixMode(GL_PROJECTION);
    glLoadIdentity();
    // Think about this. Why is the up vector not normalized?
    glMatrixMode(GL_MODELVIEW) ;
    glLoadIdentity();
    gluLookAt(0,-eyeloc,eyeloc,0,0,0,1,1);
    // (To be cont'd). Geometry and shader set up later ...
}
```

## Foundations of Computer Graphics

Online Lecture 6: OpenGL 1

*Window System Interaction and Callbacks*

Ravi Ramamoorthi

## Window System Interaction

- Not part of OpenGL
  - Toolkits (GLUT) available
- Callback functions for events (similar to X, Java,)
  - Keyboard, Mouse, etc.
  - Open, initialize, resize window
- Our main func included

```
glutDisplayFunc(display);
glutReshapeFunc(reshape) ;
glutKeyboardFunc(keyboard);
glutMouseFunc(mouse) ;
glutMotionFunc(mousedrag) ;
```

### Basic window interaction code

```
/* Defines what to do when various keys are pressed */
void keyboard (unsigned char key, int x, int y)
{
    switch (key) {
    case 27: // Escape to quit
        exit(0);
        break;
    default:
        break;
    }
}
```

### Basic window interaction code

```
/* Reshapes the window appropriately */
void reshape(int w, int h)
{
    glviewport (0, 0, (GLsizei) w, (GLsizei) h);
    glMatrixMode(GL_PROJECTION);
    glLoadIdentity();

    gluPerspective(30.0, (GLdouble)w/(GLdouble)h, 1.0, 10.0);
}
```

### Mouse motion (demo)

```
void mouse(int button, int state, int x, int y) {
    if (button == GLUT_LEFT_BUTTON) {
        if (state == GLUT_UP) { // Do Nothing ;
    }
    else if (state == GLUT_DOWN) {
        mouseoldx = x ; mouseoldy = y ; // so we can move wrt x , y
    }
    else if (button == GLUT_RIGHT_BUTTON && state == GLUT_DOWN)
    { // Reset gluLookAt
        eyeloc = 2.0 ;
        glMatrixMode(GL_MODELVIEW) ;
        glLoadIdentity() ;
        gluLookAt(0,-eyeloc,eyeloc,0,0,0,1,1) ;
        glutPostRedisplay() ;
    }
}
```

### Mouse drag (demo)

```
void mousедrag(int x, int y) {
    int yloc = y - mouseoldy ; // We will use the y coord
    to zoom in/out
    eyeloc += 0.005*yloc ; // Where do we look from
    if (eyeloc < 0) eyeloc = 0.0 ;
    mouseoldy = y ;

    /* Set the eye location */
    glMatrixMode(GL_MODELVIEW) ;
    glLoadIdentity() ;
    gluLookAt(0,-eyeloc,eyeloc,0,0,0,1,1) ;

    glutPostRedisplay() ;
}
```


## Foundations of Computer Graphics

Online Lecture 6: OpenGL 1

Drawing Basic OpenGL Primitives

Ravi Ramamoorthi

### OpenGL Primitives



## Geometry

- Points (GL\_POINTS)  
Stored in Homogeneous coordinates
- Line segments (GL\_LINES)
- Polygons
  - Simple, convex (take your chances with concave)
  - Tessellate, GLU for complex shapes
  - Rectangles: glRect
- Special cases (strips, loops, triangles, fans, quads)
- More complex primitives (GLUT): Sphere, teapot, cube,...

## GLUT 3D Primitives



Cube



Sphere



Teapot

## Old OpenGL: Drawing

- Enclose vertices between glBegin() ... glEnd() pair
  - Can include normal C code and attributes like the colors
  - Inside are commands like glVertex3f, glColor3f
  - Attributes must be set **before** the vertex
- Assembly line (pass vertices, transform, shade)
  - These are vertex, fragment shaders on current GPUs
  - *Immediate Mode*: Sent to server and drawn

## Old OpenGL: Drawing in Display

```
void display(void) {
    glClear (GL_COLOR_BUFFER_BIT);
    // draw polygon (square) of unit length centered at the origin
    // This code draws each vertex in a different color.

    glBegin(GL_POLYGON);
    glColor3f (1.0, 0.0, 0.0);
    glVertex3f (0.5, 0.5, 0.0);
    glColor3f (0.0, 1.0, 0.0);
    glVertex3f (-0.5, 0.5, 0.0);
    glColor3f (0.0, 0.0, 1.0);
    glVertex3f (-0.5, -0.5, 0.0);
    glColor3f (1.0, 1.0, 1.0);
    glVertex3f (0.5, -0.5, 0.0);
    glEnd();
    glFlush ();
}
```

(-.5, .5) GREEN      (.5, .5) RED  
(-.5, -.5) BLUE      (.5, -.5) WHITE

## Old OpenGL: Drawing

- Client-Server model (client generates vertices, server draws) even if on same machine
  - glFlush() forces client to send network packet
  - glFinish() waits for ack, sparingly use synchronization
- New OpenGL: **Vertex Buffer Objects** (next)

## Modern OpenGL: Floor Specification

```
const GLfloat floorverts[4][3] = {
    {0.5, 0.5, 0.0}, {-0.5, 0.5, 0.0}, {-0.5, -0.5, 0.0}, {0.5, -0.5, 0.0} };
const GLfloat floordcol[4][3] = {
    {1.0, 0.0, 0.0}, {0.0, 1.0, 0.0}, {0.0, 0.0, 1.0}, {1.0, 1.0, 1.0} };
const GLubyte floordinds[1][4] = { {0, 1, 2, 3} };
const GLfloat floorverts2[4][3] = {
    {0.5, 0.5, 1.0}, {-0.5, 0.5, 1.0}, {-0.5, -0.5, 1.0}, {0.5, -0.5, 1.0} };
const GLfloat floordcol2[4][3] = {
    {1.0, 0.0, 0.0}, {1.0, 0.0, 0.0}, {1.0, 0.0, 0.0}, {1.0, 0.0, 0.0} };
const GLubyte floordinds2[1][4] = { {0, 1, 2, 3} };
```

### Modern OpenGL: Vertex Buffer Objects

```
const int numobjects = 2 ; // number of objects for buffer
const int numperobj = 3 ; // Vertices, colors, indices
GLuint buffers[numperobj] ; // List of buffers for geometric data
GLuint objects[numobjects]; // For each object
GLenum PrimType[numobjects];// Primitive Type (quads, polygons)
GLsizei NumElems[numobjects] ; // Number of geometric elements
// Floor Geometry is specified with a vertex array
// The Buffer Offset Macro is from Red Book, page 103, 106
// Note for more complex objects the indices must be integers, not bytes.
#define BUFFER_OFFSET(bytes) ((GLubyte *) NULL + (bytes))
#define NumberOf(array) (sizeof(array)/sizeof(array[0]))
enum {Vertices, Colors, Elements} ; // For arrays for object
enum {FLOOR, FLOOR2} ; // For objects, for the floor
```

### Modern OpenGL: Initialize Buffers

```
void initobject (GLuint object, GLfloat * vert, GLint sizevert, GLfloat *
col, GLint sizecol, GLubyte * inds, GLint sizeind, GLenum type) {
    int offset = object * numperobj ;
    glBindBuffer(GL_ARRAY_BUFFER, buffers[Vertices+offset]) ;
    glBindBuffer(GL_ARRAY_BUFFER, buffers[Colors+offset]) ;
    glVertexPointer(3, GL_FLOAT, 0, BUFFER_OFFSET(0)) ;
    glEnableClientState(GL_VERTEX_ARRAY) ;
    glBindBuffer(GL_ARRAY_BUFFER, buffers[Colors+offset]) ;
    glBindBuffer(GL_ARRAY_BUFFER, sizecol, col,GL_STATIC_DRAW);
    glColorPointer(3, GL_FLOAT, 0, BUFFER_OFFSET(0)) ;
    glEnableClientState(GL_COLOR_ARRAY) ;
    glBindBuffer(GL_ELEMENT_ARRAY_BUFFER, buffers[Elements+offset]) ;
    glBindBuffer(GL_ELEMENT_ARRAY_BUFFER, sizeind, inds,GL_STATIC_DRAW);
    PrimType[object] = type ;
    NumElems[object] = sizeind ; }
```

### Modern OpenGL: Draw Vertex Object

```
void drawobject(GLuint object) {
    int offset = object * numperobj ;
    glBindBuffer(GL_ARRAY_BUFFER, buffers[Vertices+offset]) ;
    glVertexPointer(3, GL_FLOAT, 0, BUFFER_OFFSET(0)) ;
    glEnableClientState(GL_VERTEX_ARRAY) ;
    glBindBuffer(GL_ARRAY_BUFFER, buffers[Colors+offset]) ;
    glColorPointer(3, GL_FLOAT, 0, BUFFER_OFFSET(0)) ;
    glEnableClientState(GL_COLOR_ARRAY) ;
    glBindBuffer(GL_ELEMENT_ARRAY_BUFFER, buffers[Elements+offset]) ;
    glDrawElements(PrimType[object], NumElems[object], GL_UNSIGNED_BYTE,
    BUFFER_OFFSET(0)) ;
}
void display(void) {
    glClear (GL_COLOR_BUFFER_BIT);
    drawobject(FLOOR) ; drawobject(FLOOR2)
    glFlush () ; }
```

### Initialization for Drawing, Shading

```
#include "shaders.h"
GLuint vertexshader, fragmentshader, shaderprogram ; // shaders
// Initialization in init() for Drawing
 glGenBuffers(numperobj*numobjects, buffers) ;
initobject(FLOOR, (GLfloat *) floorverts, sizeof(floorverts), (GLfloat *)
floorcol, sizeof(floorcol), (GLubyte *) floorinds, sizeof
(floorinds), GL_POLYGON) ;
initobject(FLOOR2, (GLfloat *) floorverts2, sizeof(floorverts2),
(GLfloat *) floorcol2, sizeof(floorcol2), (GLubyte *) floorinds2,
sizeof (floorinds2), GL_POLYGON) ;
// In init() for Shaders, discussed next
vertexshader = initshaders(GL_VERTEX_SHADER, "shaders/nop.vert") ;
fragmentshader = initshaders(GL_FRAGMENT_SHADER, "shaders/nop.frag") ;
shaderprogram = initprogram(vertexshader, fragmentshader) ;
```


### Demo (change colors)

## Foundations of Computer Graphics



Online Lecture 6: OpenGL 1

*Initializing Shaders*

Ravi Ramamoorthi



- Simplified OpenGL Pipeline**
- User specifies vertices (vertex buffer object)
  - For each vertex in parallel
    - OpenGL calls user-specified vertex shader: Transform vertex (ModelView, Projection), other ops
  - For each primitive, OpenGL rasterizes
    - Generates a *fragment* for each pixel the fragment covers
  - For each fragment in parallel
    - OpenGL calls user-specified fragment shader: Shading and lighting calculations
    - OpenGL handles z-buffer depth test unless overwritten



**Shader Initialization Code**

```

GLuint initshaders(GLenum type, const char *filename) {
    // Using GLSL shaders, OpenGL book, page 679
    GLuint shader = glCreateShader(type) ;
    GLint compiled ;
    string str = textFileRead (filename) ;
    GLchar * cstr = new GLchar[str.size()+1] ;
    const GLchar * cstr2 = cstr ; // Weirdness to get a const char
    strcpy(cstr,str.c_str()) ;
    glShaderSource (shader, 1, &cstr2, NULL) ;
    glCompileShader (shader) ;
    glGetShaderiv (shader, GL_COMPILE_STATUS, &compiled) ;
    if (!compiled) {
        shadererrors (shader) ;
        throw 3 ;
    }
    return shader ;
}
    
```

**Linking Shader Program**

```

GLuint initprogram(GLuint vertexshader, GLuint fragmentshader) {
    GLuint program = glCreateProgram() ;
    GLint linked ;
    glAttachShader(program, vertexshader) ;
    glAttachShader(program, fragmentshader) ;
    glLinkProgram(program) ;
    glGetProgramiv(program, GL_LINK_STATUS, &linked) ;
    if (linked) glUseProgram(program) ;
    else {
        programerrors(program) ;
        throw 4 ;
    }
    return program ;
}
    
```

---

### **Basic (nop) vertex shader**

---

- In shaders/ nop.vert.glsl nop.frag.glsl
- Written in GLSL (GL Shading Language)
- Vertex Shader (out values interpolated to fragment)

```
# version 120
// Mine is an old machine. For version 130 or higher, do
// out vec4 color ;
// That is certainly more modern
varying vec4 color ;
void main() {
    gl_Position = gl_ProjectionMatrix * gl_ModelViewMatrix * gl_Vertex ;
    color = gl_Color ; }
```

---

### **Basic (nop) fragment shader**

---

```
# version 120
// Mine is an old machine. For version 130 or higher, do
// in vec4 color ;
// That is certainly more modern
attribute vec4 color ;

void main (void)
{
    gl_FragColor = color ;
}
```